Washington Behavioral Risk Factor Surveillance System 2003 Tobacco Survey Results

Cowlitz County

What is your age?	n	= 201
18 - 34	33.0%	(± 8.3%)
35 - 54	48.8	(± 8.1)
55 - 74	14.3	(± 4.7)
75+	3.9	(± 2.4)
Gender	n	= 201
Male	46.9%	(± 8.2%)
Female	53.1	(± 8.2)
Which one of these groups would you say best represents your race	n = 199	
White	93.9%	(± 3.9%)
Black or African American	0.0	(± 0.0)
Asian	0.9	(± 1.8)
Native Hawaiian or Other Pacific Islander	0.3	,
American Indian, Alaska Native	2.6	,
Other race	1.8	,
No preferred race	0.4	(± 0.8)
Are you Hispanic or Latino/Latina?	n	= 201
Yes	4.2%	(± 3.3%)
No	95.8	(± 3.3)
Marital status	n	= 200
Married	57.6%	(± 8.2%)
Divorced	7.6	(± 3.1)
Widowed	5.5	(± 2.7)
Separated	3.3	(± 3.4)
Never been married	19.9	(± 7.7)
Or a member of an unmarried couple	6.1	(± 4.1)
How many children less than 18 years of age live in your household?	n	= 200
None	49.9%	(± 8.1%)
1	23.8	(± 7.0)
2	14.3	(± 5.5)
3 or more	12.0	(± 6.3)
What is the highest grade or year of school you completed?	n	= 198
Some high school or less	13.2%	(± 5.9%)
High school graduate or GED	30.5	(± 7.8)
Some college or technical school	36.0	(± 7.7)
College graduate or more	20.4	(± 6.2)
* Estimates based on sample sizes less than 50 were omitted.		Openity

Created on 9/22/2004

Cowlitz Page 1 of 11

Are you currently	n :	= 198
Employed for wages Self-employed Out of work Homemaker Student Retired Or unable to work	60.1% 5.9 8.6 10.2 2.0 8.4 5.0	(± 7.9%) (± 4.2) (± 4.7) (± 4.4) (± 3.1) (± 3.5) (± 3.2)
Annual household income from all sources	n =	= 182
Less than \$20,000 \$20,000 to less than \$50,000 \$50,000 or more	21.5% 34.3 44.2	(± 7.9%) (± 7.6) (± 8.4)
Have you smoked at least 100 cigarettes in your entire life?	n =	= 301
Yes No	48.5% 51.6	(± 6.5%) (± 6.5)
Among those that have smoked at least 100 cigarettes in their entire life:		
Do you now smoke cigarettes everyday, some days, or not at all?		= 158
Everyday Some days Not at all	37.7% 9.9 52.5	(± 8.5%) (± 5.4) (± 8.7)
Among current smokers:		
During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking?	e n	= 73
During the past 12 months, have you stopped smoking for 1 day or longer because	60.8% 39.2	= 73 (± 12.8%) (± 12.8)
During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking? Yes	60.8% 39.2	(± 12.8%)
During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking? Yes No	60.8% 39.2	(± 12.8%) (± 12.8)
During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking? Yes No Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes:	60.8% 39.2 n = 23.0%	(± 12.8%) (± 12.8) = 300
During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking? Yes No Current cigarette smoking prevalence: (every day or some day smokers among the whole population)	60.8% 39.2 n = 23.0%	(± 12.8%) (± 12.8) = 300 (± 5.2%)
During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking? Yes No Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes	60.8% 39.2 n = 23.0% n 53.7% 46.3	(± 12.8%) (± 12.8) = 300 (± 5.2%) = 96 (± 11.2%)
During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking? Yes No Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days:	60.8% 39.2 n = 23.0% n 53.7% 46.3	(± 12.8%) (± 12.8) = 300 (± 5.2%) = 96 (± 11.2%) (± 11.2)
During the past 12 months, have you stopped smoking for 1 day or longer because you were trying to quit smoking? Yes No Current cigarette smoking prevalence: (every day or some day smokers among the whole population) Among those that have smoked at least 100 cigarettes: Did you smoke any cigarettes during the past 30 days? Yes No Among those that have smoked in the past 30 days: On how many days of the past 30 days did you smoke cigarettes? Less than 30 days	60.8% 39.2 n = 23.0% n = 53.7% 46.3 n = 26.5% 73.5	(± 12.8%) (± 12.8) = 300 (± 5.2%) = 96 (± 11.2%) (± 11.2) = 50 (± 13.8%)

^{*} Estimates based on sample sizes less than 50 were omitted.

Cowlitz Page 2 of 11

Have you ever tried using smokeless tobacco, like chew, dip or snuff?	n	ı = 196
Yes No	23.2% 76.8	(± 7.2%) (± 7.2)
Among those that have ever tried smokeless tobacco:		
On how many of the past 30 days did you use smokeless tobacco products?	ı	n = 37
None	*	*
Less than 30 days 30 days	*	*
Current smokeless tobacco prevalence:	n	ı = 196
(any use in past 30 days among the whole population)	3.5%	(± 3.5%)
Do you currently smoke tobacco in a pipe?	n	ı = 196
Yes No	0.0% 100.0	(± 0.0%) (± 0.0)
In the past month, have you smoked a cigar, even just a puff?	n	ı = 196
Yes No	8.7% 91.3	(± 6.5%) (± 6.5)
In the past month, have you smoked bidis?	n	ı = 196
Yes No	0.0% 100.0	(± 0.0%) (± 0.0)
In the past month, have you smoked clove cigarettes?	n	ı = 196
Yes No	0.6% 99.4	(± 1.2%) (± 1.2)
Current tobacco use (all types of tobacco)	n	ı = 196
Current daily tobacco user Current non-tobacco user	30.6% 69.4	(± 7.9%) (± 7.9)
Among former smokers: About how long has it been since you last smoked cigarettes regularly, that is, daily?	ı	n = 46
Within the past month (less than 1 month ago)	*	*
Within the past 3 months (1-3 months ago)	*	*
Within the past 6 months (3-6 months ago)	*	*
Within the past year (6-12 months ago) Within the past 5 years (1-5 years ago)	*	*
Within the past 15 years (1-5 years ago) Within the past 15 years (5-15 years ago)	*	*
More than 15 years ago	*	*
Never used regularly	*	*

Cowlitz
Created on 9/22/2004
Page 3 of 11

^{*} Estimates based on sample sizes less than 50 were omitted.

Among former smokers: When you last smoked cigarettes regularly, on average, how many cigarettes did you smoke per day?		n =	- 43
Average:	*		*
Among current tobacco users: In the past month, did you buy tobacco on a Native American reservation?		n =	÷ 57
Yes No	9.0% 91.0		(± 7.7%) (± 7.7)
Among current tobacco users: In the past month, did you buy tobacco from the Internet?		n =	- 57
Yes No	1.0% 99.0		(± 2.0%) (± 2.0)
Among current tobacco users: During the past month, did you buy tobacco outside the state to save money - not just because you were traveling?		n =	= 57
Yes No	21.6% 78.4		(± 12.6%) (± 12.6)
Among current/former tobacco users: People close to me are/were upset by my using tobacco.		n =	= 94
Strongly agree Somewhat agree Somewhat disagree Or strongly disagree	43.5% 13.0 20.0 23.5		(± 12.0%) (± 6.8) (± 9.0) (± 12.5)
Among current/former tobacco users: When was the last time a family member or friend advised you to quit, if ever?		n =	- 96
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	46.5% 3.2 21.8 28.5		(± 12.3%) (± 3.7) (± 8.6) (± 10.9)
Among current/former tobacco users: When was the last time a DOCTOR or other healthcare provider advised you to quit, if ever?		n =	- 97
Within the past year (1-12 months) Within the past three years (1-3 years) 3 or more years ago They never advised me to quit	33.6% 5.9 19.6 40.9		(± 11.0%) (± 4.8) (± 8.5) (± 12.4)

Cowlitz
Created on 9/22/2004
Page 4 of 11

^{*} Estimates based on sample sizes less than 50 were omitted.

Among current/former tobacco users: When was the last time a DENTIST advised you to quit, if ever?	n	= 96
Within the past year (1-12 months) Within the past three years (1-3 years)	12.5% 1.2 3.5	(± 7.2%) (± 1.8)
3 or more years ago They never advised me to quit	82.8	(± 4.0) (± 8.2)
Among those advised to quit: Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?	n	= 66
Yes	39.6%	(± 13.1%)
No	60.4	(± 13.176) (± 13.1)
Among current/former tobacco users: How many times in your life have you seriously tried to quit using tobacco?	n	= 91
0	9.9%	(± 7.9%)
1-2	52.3	(± 11.6)
3-5	24.5	(± 9.8)
6 or more	13.3	(± 7.4)
About how long has it been since you last visited a DOCTOR for a routine checkup?	n = 193	
Within the past year (1-12 months ago)	73.5%	(± 7.0%)
Within the past two years (1-2 years ago)	15.2	(± 5.8)
Within the past 3 years (2-3 years ago)	1.1	(± 1.6)
Within the past 5 years (3-5 years ago) 5 or more years ago	4.4 4.7	(± 3.1) (± 3.3)
Never	1.1	(± 3.5) (± 1.5)
What type of health coverage do you use to pay for most of your medical care? Is it coverage through	n	= 163
Your employer	50.7%	(± 8.9%)
Someone else's employer	23.6	(± 8.4)
A plan that you or someone buys on your own	9.7	(± 5.2)
Medicare	10.3	(± 4.6)
Medicaid or Medical Assistance	4.6 1.2	(± 2.9)
The military, CHAMPUS, or the VA The Indian Health Service	0.0	(± 1.6) (± 0.0)
Some other source	0.0	(± 0.0)
Among current and recent former smokers:		
Within the past year, have you heard about any programs in your community to help you quit using tobacco, such as classes, support groups or counseling services?	n	= 52
Yes	60.5%	(± 14.6%)
No	39.5	(± 14.6)

Cowlitz
Created on 9/22/2004
Page 5 of 11

^{*} Estimates based on sample sizes less than 50 were omitted.

Among current and recent former smokers: Within the past year, did you participate in any kind of program, class or group to		n -	÷ 53
help you quit using tobacco?			- 33
Yes No	1.1% 98.9		(± 2.1%) (± 2.1)
Among current and recent former smokers with health care coverage: Does your health care insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills or other medications?	,	n =	- 40
Yes	*		*
No Don't know/Not sure	*		*
Among current and recent former smokers: During the past year, did you use nicotine patches, pills or other medication to help you quit using tobacco?		n =	= 53
Yes No	24.4% 75.6		(± 13.0%) (± 13.0)
Among current and recent former smokers: Have you heard about the Washington State "Quit-Line" - a telephone support service to help people quit using tobacco?		n =	÷ 52
Yes No	47.7% 52.3		(± 15.4%) (± 15.4)
Among current and recent former smokers who have heard of the "Quit-Line": Have you called the Quit line?		n =	: 25
Yes No	*		*
Among current tobacco users: Would you like to quit using tobacco?		n =	÷ 53
Yes No	65.7% 34.3		(± 15.3%) (± 15.3)
Among current tobacco users who would like to quit: Are you seriously considering quitting tobacco use within the next 6 months?		n =	÷ 35
Yes No	*		*
Among current tobacco users considering quitting within 6 months:		n -	- 25
Are you planning to stop within the next 30 days?	*	11 =	= 35 *
Yes No	*		*
Don't know/Not sure	*		*

^{*} Estimates based on sample sizes less than 50 were omitted.

Cowlitz
Created on 9/22/2004
Page 6 of 11

Are you currently registered to vote? Yes No	r 82.7% 17.3	(± 6.7%) (± 6.7)
Which of the following statements best describes the rules about smoking in your home		n = 194
No one is allowed to smoke anywhere inside your home Smoking is allowed at some places or at some times Smoking is permitted anywhere inside your home	79.3% 10.7 10.0	(± 7.0%) (± 5.3) (± 5.4)
How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?	n	n = 196
No current smokers in household 1 2 3 or more	62.6% 21.3 12.7 3.3	(± 7.9%) (± 6.4) (± 5.8) (± 3.4)
On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?	r	n = 194
None Less than 30 30 days	82.5% 5.9 11.7	(± 6.8%) (± 3.4) (± 6.3)
If it were just up to you, would you let people smoke inside your home?	n	n = 193
If it were just up to you, would you let people smoke inside your home? Yes No	n 10.2% 89.8	n = 193 (± 4.3%) (± 4.3)
Yes	10.2% 89.8	(± 4.3%)
Yes No Among people who are currently employed for wages:	10.2% 89.8	(± 4.3%) (± 4.3)
Yes No Among people who are currently employed for wages: When you are at work, do you spend most of your time in an Office Store Restaurant or Bar Warehouse or factory Home/Someone elses home Outdoors Car or truck Classroom Hospital	10.2% 89.8 r 27.0% 10.7 9.3 9.5 5.3 12.7 8.2 12.5 4.3 0.6	$(\pm 4.3\%)$ (± 4.3) $1 = 121$ $(\pm 8.6\%)$ (± 6.2) (± 8.6) (± 6.2) (± 4.7) (± 6.9) (± 5.4) (± 7.0) (± 3.2)

Cowlitz
Created on 9/22/2004
Page 7 of 11

^{*} Estimates based on sample sizes less than 50 were omitted.

Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace Employee lunchrooms or lounges?	n	= 118
Yes No	5.1% 94.9	(± 4.3%) (± 4.3)
Among people who are currently employed for wages: Is smoking allowed in any of the following areas at your workplace A different designated indoor smoking area?	n	= 117
Yes No	8.9% 91.1	(± 6.1%) (± 6.1)
Among people who are currently employed for wages: In a typical week, how many hours would you say that you are in a room or car with secondhand smoke while you are at work?	n	= 115
None Less than one hour One hour or more	83.6% 7.6 8.9	(± 7.6%) (± 5.5) (± 5.7)
In general, would you say that breathing secondhand smoke is	n	= 191
Not at all annoying to you A little bit annoying Somewhat annoying Very annoying to you	10.6% 12.4 26.1 50.9	(± 5.0%) (± 5.2) (± 7.2) (± 8.3)
Would you say that breathing secondhand smoke is	n	= 190
Not at all harmful A little bit harmful Somewhat harmful Very harmful	1.4% 6.3 20.2 72.1	(± 2.0%) (± 4.4) (± 6.5) (± 7.5)
All people should be protected from secondhand smoke.	n	= 183
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	63.3% 20.5 8.4 7.9	(± 8.1%) (± 6.6) (± 4.6) (± 4.9)
All children should be protected from secondhand smoke.	n	= 190
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	91.7% 3.7 3.5 1.2	(± 4.2%) (± 2.5) (± 3.1) (± 1.7)
Do you think that smoking should be completely banned in restaurants?	n = 195	
Yes No Don't know/Not sure	71.5% 25.1 3.4	(± 7.1%) (± 6.9) (± 2.4)

^{*} Estimates based on sample sizes less than 50 were omitted.

Cowlitz
Created on 9/22/2004
Page 8 of 11

Do you think that smoking should be completely banned in bars and lounges?	n	= 192
Yes No	37.2% 56.5	(± 8.3%) (± 8.4)
Don't know/Not sure	6.2	(± 3.6)
Do you think that smoking should be completely banned in outdoor public areas where children may be present?	n = 194	
Yes	56.9%	(± 7.9%)
No Don't know/Not sure	39.5 3.5	(± 7.8) (± 2.3)
Local law enforcement officials should place a high priority on enforcing laws that ban the possession of tobacco products by minors.	n	= 191
Strongly agree	60.6%	(± 8.2%)
Somewhat agree Somewhat disagree	21.1 13.2	(± 6.8) (± 6.1)
Strongly disagree	5.1	(± 3.6)
The city or town where you live should establish as many strong rules and laws as possible to protect nonsmokers, including children, from secondhand smoke.	n	= 188
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	55.9% 26.1 8.2 9.8	(± 8.3%) (± 7.3) (± 4.4) (± 4.5)
School officials should make sure that all children receive anti-tobacco education.	n	= 192
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	85.3% 11.4 1.5 1.8	(± 5.6%) (± 4.9) (± 2.1) (± 2.0)
Tobacco use by adults should not be allowed on school grounds or at any school events.	n	= 189
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	84.6% 8.9 2.9 3.5	(± 6.1%) (± 4.5) (± 3.3) (± 3.3)
Have you seen or heard about any efforts or activities in your community or in schools to prevent or reduce tobacco use among youth?	n	= 185
Yes No	50.4% 49.6	(± 8.4%) (± 8.4)

Cowlitz
Created on 9/22/2004
Page 9 of 11

^{*} Estimates based on sample sizes less than 50 were omitted.

Among people who have seen or heard of community efforts/activities: Have you participated in any efforts or activities in your community or in schools to help reduce tobacco use among youth?	n :	= 113
Yes No	19.7% 80.3	(± 8.7%) (± 8.7)
Among people who have seen or heard of community efforts/activities: To your knowledge, has there been a local anti-tobacco or anti-smoking organization working in your community over the past few years?	n :	= 114
Yes No Don't know/Not sure	29.6% 49.2 21.2	(± 9.5%) (± 10.5) (± 8.0)
Among people who know of anti-tobacco organizations in their community: Do you approve of what this local organization is doing to prevent tobacco use and help people quit?	n	= 32
Definitely yes Probably yes Probably no Definitely no	* * *	* * *
There are more negative things than positive things about smoking.	n :	= 189
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	89.6% 7.6 2.6 0.2	(± 5.6%) (± 5.1) (± 2.6) (± 0.4)
Smoking sometimes makes a person more attractive.	n :	= 190
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	1.3% 0.0 8.2 90.5	(± 1.5%) (± 0.0) (± 4.1) (± 4.3)
There are so many things that cause cancer, tobacco use is not going to make any difference.	n :	= 186
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	6.3% 9.4 8.0 76.3	(± 4.3%) (± 5.1) (± 5.2) (± 7.6)
Would you ever use or wear something that has a tobacco company logo or picture on it?	n :	= 190
Yes No	25.2% 74.8	(± 7.2%) (± 7.2)

Created on 9/22/2004

Created on 9/22/2004

Created on 9/22/2004

Created on 9/22/2004

^{*} Estimates based on sample sizes less than 50 were omitted.

Do you currently have a piece of clothing, or other item that has a tobacco brand or logo on it?	n = 193	
Yes No	14.0% 86.0	(± 5.7%) (± 5.7)
During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?	n	= 191
Yes No	18.7% 81.3	(± 6.3%) (± 6.3)
During the past year have you been somewhere, such as concert or special event, where tobacco companies were having a promotion - for example, giving away free samples or having a special give-away?	n	= 192
Yes No	19.3% 80.7	(± 7.6%) (± 7.6)
Tobacco companies should have the same rights to advertise their products as other companies.	n	= 188
Strongly agree Somewhat agree Somewhat disagree Strongly disagree	29.9% 28.6 14.1 27.4	(± 7.6%) (± 7.4) (± 5.8) (± 7.9)
Among people with children ages 12 to 17: Which of the following best describes the way you have discussed the dangers of tobacco use with your child	n	ı = 44
We have talked about the dangers of tobacco use many times We have had at least one conversation that I can remember I don't remember a specific conversation, but my child knows how I feel For now, I have not talked with my child about the dangers of tobacco use	* * * *	* * *
Among people with children ages 12 to 17: Have you told your child specifically that you do not want him or her to use tobacco?	n	= 44
Yes No	*	*

Cowlitz
Created on 9/22/2004
Page 11 of 11

^{*} Estimates based on sample sizes less than 50 were omitted.